

# Index

## A

- ABR. *See* Area Border Router
- Acterna, 102
- Active Directory (AD), 208
  - forest, 168
  - publisher, 209
  - subscriber, 209
- Active Directory Administration Tool (Ldp), 438-439
- Active Directory Services Interfaces Editor (ADSIEdit), 439
- ActiveX, 427
  - Alerts, 427-428
  - performance logs, 427-428
  - System Monitor, 427
- AD. *See* Active Directory
- address
  - IP address, 125, 333
  - Media Access Control address, 7
- Address Resolution Protocol (ARP), discussed, 37
- administration. *See also* decision-making; management; management structure; monitoring
  - delegation of authority, 73
  - types of, 81
- ADSIEdit. *See* Active Directory Services Interfaces Editor
- aggregation, network, 22
- AH. *See* Authentication Header
- Alerts, 427-428
- American National Standards Institute (ANSI), X3T9.5 standard, 15
- American Registry for Internet Numbers (ARIN), 159
- API. *See* Application Programming Interface
- APIPA. *See* Automatic Private IP Addressing
- AppleTalk, 223-225. *See also* Macintosh
- Application layer
  - OSI model, 4
  - packet filtering, 148
- Application layer protocols and services
  - Common Internet File System, 32
  - Domain Name Service, 32
  - Dynamic Host Configuration Protocol, 31
  - File Transfer Protocol, 30
  - in general, 29
  - Hypertext Transfer Protocol, 31
  - Internet Printing Protocol, 32
  - Network News Transfer Protocol, 32
  - Simple Mail Transfer Protocol, 30
  - Simple Network Management Protocol, 31
  - Telnet, 30
  - Trivial File Transfer Protocol, 30
  - Windows Internet Name Service, 32
- application portfolio, network design considerations, 62
- Application Programming Interface (API), 4
  - generic API, 155
- Area Border Router (ABR), 289
- ARIN. *See* American Registry for Internet Numbers
- ARP. *See* Address Resolution Protocol
- AS. *See* autonomous system
- Asynchronous Transfer Mode (ATM), 26
  - discussed, 19-21
- ATM. *See* Asynchronous Transfer Mode
- authentication
  - encrypted, 336-337
  - Kerberos, 124
  - strong, 380
- Authentication Header (AH), 149, 382
- authentication server, RADIUS, 311
- Automatic Private IP Addressing (APIPA). *See also* IP address
  - discussed, 170-171
- autonomous system (AS)
  - Interior Gateway Protocol, 35
  - OSPF, 289
- availability
  - Dfs, 258-259
  - DNS, 177
  - network, 22, 56, 105
  - Proxy Server, 358
  - router, 313
  - RRAS, 302-303
  - WINS, 182

**B**

B2B design. *See also* network design

- e-mail, 385
- file access, 386
- in general, 378-380, 384
- cookie, 384
- integrity, nonrepudiation, reliability, 382-384
- security, 380-382
- special media, 386-387

backbone

- network, 22
- server, 16

bandwidth issues, technical analysis, 101-103

bandwidth throttling, 405

Barnhart, Ken, 61

baseband signal, Ethernet, 14

batch-oriented processing, 379

bindery server, 201

BindView, 114

blackhole services, 385

Blowfish, 381

Blue Ocean Software, Track-It!, 121

BootP, 36

BOOTP client, 169-170

BOOTP traffic, 172

bridge, OSI model, 7

bus topology. *See also* standards discussed, 8

business model. *See also* management structure; network design; standards; technical requirements

- company processes
- communication flow, 71-72
- decision making, 73
- in general, 70
- information flow, 70-71

- service and product life cycle, 72-73
- company strategies
- company priorities, 77
- in general, 77
- laws and regulations, 78-79
- projected growth and growth strategy, 78
- risk tolerance, 79
- total cost of ownership, 79-80
- geographic company model
- branch office, 66-67
- detecting, 70
- international model, 68
- national model, 67-68
- regional model, 67
- subsidiary model, 68-69

business requirements, analyzing, 54

**C**

caching

- active caching, 339
- in Dfs, 247
- distributed caching, 340
- passive caching, 339
- Proxy Server Web caching, 339-342

Certificate Services, 445

change-management process, 83

Channel Service Unit/Data Service Unit (CSU/DSU), 285

CIDR. *See* Classless Inter-Domain Routing

CIFS. *See* Common Internet File System

CIR. *See* Committed Information Rate

Classless Inter-Domain Routing (CIDR), 288

client. *See also* user

- BOOTP client, 169-170
- DHCP, 169

Client for NFS, 219

Client Services for NetWare (CSNW), 201. *See also* NetWare discussed, 206-207

clustering, 173

codecs, 386

Committed Information Rate (CIR), 18

Common Internet File System (CIFS), 4, 242

- discussed, 32

communication flow, in business model, 71-72

Compaq, 130

connectivity. *See also* Network File System; technical requirements

- functional design, 349
- models
- extranet, 27
- in general, 22-23
- Internet, 26
- Intranet, 23
- remote access, 24-25
- remote office, 25
- for NetWare systems, 200
- sticky connection, 409
- WINS, persistent connections, 180

convergence

- OSPF, 35
- WINS, 182

cookie, 384

cost

- network considerations, 106
- network design and, 57

- counter logs, 428
- Course Technology, 433
- CSMA/CD. *See* Carrier Sense Multiple Access/Collision Detection
- CSNW. *See* Client Services for NetWare
- CSU/DSU. *See* Channel Service Unit/Data Service Unit
- customer, relationships with, 75-76
- D**
- data analysis
  - network design and, 63-64
  - procedures, 108-109
- data collection
  - centralized, 441
  - decentralized, 441
  - in-band, 441
  - out-of-band, 441
- Data Encryption Scheme (DES), 381
- data gathering
  - network design considerations, 59-63
  - application portfolio, 62
  - gaining trust and ground rules, 60-61
  - Iron Triangle, 61
  - load bucket, 62
  - performance bucket, 63
  - resources bucket, 62
  - server roles, 62
- Data Link layer
  - Logical Link Control, 13
  - Media Access Control, 13
  - OSI model, 7
- database, forwarding database, 396
- DC. *See* domain controller
- decision-making process. *See also* administration
  - in business model, 73
  - discussed, 82
- dedicated line, Internet access, 26
- demand-dial connection, 282
- demand-dial interface, routing, 286
- demilitarized zone (DMZ), 154
- denial of service (DoS), 333, 384
- DES. *See* Data Encryption Scheme
- Dfs. *See* distributed file system
- DHCP. *See* Dynamic Host Configuration Protocol
- digital certificate, 380
- digital signature, 380
- direct dial, remote access, 25
- Directory Services Manager for NetWare, 212
- disaster recovery. *See also* technical requirements; troubleshooting
  - in general, 131-132
  - strategies
    - client computer, 132-133
    - network, 134
    - server, 133-134
- Distance Vector Multicast Routing Protocol (DVMRP), 291
- distributed file system (Dfs)
  - design strategies
    - availability concerns, 258-259
    - in general, 255-257
    - naming strategies, 257
    - performance concerns, 259
  - Dfs root, 241, 243-244
  - domain Dfs root, 243
  - down-level Dfs client, 243
  - links, 245
  - placement of roots, 244-245
  - root replica, 245
  - shared folders, 245, 248
  - standalone Dfs root, 243
  - features and benefits, 239-241
  - in general, 238-239, 449
  - Partition Knowledge Table, 242, 244, 246, 247
  - processes
    - caching referrals by clients, 247
    - Dfs replication policy, 251
    - Dfs root replication, 249
    - in general, 246
    - link replica, 248
    - linking logical names to physical addresses, 249
    - maintaining PKT, 247
    - resource locating, 254-255
    - shared folder access, 248
    - shared folder replication, 250-254
    - switching between replicas, 254
    - security, 254
    - shared folders, 245
    - terminology
      - Dfs namespace, 241
      - Dfs root, 241
      - Dfs topology, 241
      - referral, 242
  - Distributed Name System (DNS), 445-446
  - DMZ. *See* demilitarized zone
  - DNS. *See* Distributed Name System; Domain Name Service
  - domain controller (DC), design considerations, 444
  - domain filter. *See also* filtering using, 357-358
  - Domain Name Service (DNS)
    - availability, 177

- discussed, 32, 242, 410
- resolvers, 32
- integration with DHCP, 176
- integration with WINS, 181–182
- name resolution
  - design data, 175
  - in general, 175
  - Windows 2000 features, 175–176
  - performance, 177–178
- Proxy Server and, 347–348
- security, 176–177
  - dynamic updates, 176
  - zone replication, 176–177
  - updating for DHCP client, 167
  - zone, 175
- domain-naming master, 111
- DoS *See* denial of service
- DVMRP. *See* Distance Vector Multicast Routing Protocol
- Dynamic Host Configuration Protocol (DHCP), 112, 126, 166
  - authorization of server, 168
  - Automatic Private IP Addressing, 170–171
  - BOOTP client, 169–170
  - BOOTP traffic, 172
  - client, 169
  - design enhancement
  - distributed scopes, 172
  - in general, 172, 446–447
  - performance, 174
  - remote locations, 173
  - security, 173–174
  - Windows clustering, 173
  - discussed, 31, 166–167
  - relay agent, 172
  - scope, 166
  - functionality, 171
  - integration
    - with DNS, 176

- with remote access server, 168
- with WINS, 181–182
- legacy systems, 171
- multicast IP address
  - allocation, 168
- non-MS client, 169
- for remote locations, 173
- security concerns, 173–174
- updating DNS for, 167

## E

- e-mail, 23
  - in B2B design, 385
  - blackhole services, 385
  - intranet, 406
  - spam, 385
- EAP-TLS. *See* Extensible Authentication Protocol Transport Level Security
- EBCDIC. *See* Extended Binary-Coded Decimal Interchange Code
- EDI. *See* Electronic Data Interchange
- EGP. *See* Exterior Gateway Protocol
- Electronic Data Interchange (EDI), 379
- Encapsulating Security Payload (ESP), 149
- encrypted authentication, 336–337
- encryption. *See also* security
  - brute force, 381
  - computationally secure, 381
  - Data Encryption Scheme, 381
  - unconditionally secure, 381
  - VPN tunnel, 296–298
- enterprise applications, design requirements, 405
- Escon, 379
- ESP. *See* Encapsulating Security Payload

- Ethernet, 8, 26, 200
  - Carrier Sense Multiple Access/Collision Detection (CSMA/CD), 15
  - discussed, 14
- Ethernet loop, 396
- Event Viewer log, 428–429
- event-driven, 379
- Exchange 2000, 32
- Extended Binary-Coded Decimal Interchange Code (EBCDIC), 379
- Extensible Authentication Protocol Transport Level Security (EAP-TLS), 296
- Exterior Gateway Protocol (EGP), 35
- extranet. *See also* intranet
  - discussed, 27

## F

- failover, 157
  - replica switching, 254
- failure
  - single point-of-failure, 388
  - switch, 404
- FDB. *See* forwarding database
- FDDI. *See* Fiber Distributed Data Interface
- Fiber Distributed Data Interface (FDDI)
  - discussed, 15–16
  - asynchronous packet, 16
  - synchronous packet, 16
- file access
  - B2B design, 386
  - intranet, 406
- File and Print Services for NetWare (FPNW), 207
  - discussed, 211–212
- File Replication Service (FRS), 251

File Transfer Protocol (FTP),  
 23, 386  
 discussed, 30  
 filtering  
   Application layer packet filtering, 148  
   domain filters, 357–358  
   IP packet filtering, 148, 293–294, 332–333  
   packet filtering, 343  
   stateful packet filtering, 333  
   stateless packet filtering, 332  
   WINS name resolution, 181  
 financing, funding models for management, 81  
 firewall. *See also* network design; security  
   active-passive configuration, 394  
   circuit-level gateway, 336  
   encrypted authentication, 336–337  
   in general, 332, 400  
   IP packet filtering, 332–333  
   Network Address Translation, 333–335  
   placement and use, 337  
   proxy services, 335  
   redundant, 392–394  
   screened subnet and, 299  
   VPN tunnel, 337  
 floating single master operations (FSMOs), 110  
 flood, 396  
 folder  
   shared, 245, 248  
   shared folder replication, 250–254  
 forest, 168  
 forwarding database (FDB), 396  
 FPNW. *See* File and Print Services for NetWare

FQDN. *See* Fully Qualified Domain Name  
 frame, OSI model, 7  
 Frame Relay, discussed, 17–18  
 FRS. *See* File Replication Service  
 FSMOs. *See* floating single master operations  
 FTP. *See* File Transfer Protocol  
 Fully Qualified Domain Name (FQDN), 30  
 functionality  
   in DHCP design, 171  
   discussed, 55, 106

## G

gateway, 201  
   circuit-level gateway, 336  
   default gateway, 164  
   Gateway for NFS, 218  
 Gateway Services for NetWare (GSNW), discussed, 202–206  
 Generic Routing Encapsulation (GRE), 283  
 geographic locations, connectivity between, 100–101  
 Global Catalog server, 110  
   discussed, 443–444  
 Gopher, 343  
 GRE. *See* Generic Routing Encapsulation  
 ground rules, network design considerations, 60–61  
 growth, planning for, 450–451  
 GSNW. *See* Gateway Services for NetWare

## H

Hewlett-Packard, 130  
 hop count, router, 167  
 host, 148  
   bastion hosts, 154

Hot-Standby Router Protocol (HSRP), 391  
 HSRP. *See* Hot-Standby Router Protocol  
 HTTP. *See* Hypertext Transfer Protocol  
 hub  
   OSI model, 8  
   redundant, 399  
   switching hub, 12  
 hybrid topology. *See also* standards  
   discussed, 11–12  
 Hypertext Transfer Protocol (HTTP), discussed, 31

## I

IAB. *See* Internet Architecture Board  
 IANA. *See* Internet Assigned Numbers Authority  
 IBM, 130  
   Token Ring network, 10, 15  
 ICMP. *See* Internet Control Message Protocol  
 ICS. *See* Internet Connection Sharing  
 IEEE 802 specifications review.  
   *See also* standards  
   Asynchronous Transfer Mode, 19–21  
   Ethernet, 14  
   Fiber Distributed Data Interface, 15–16  
   Frame Relay, 17–18  
   in general, 13–14  
   Integrated Services Digital Network, 18–19  
   Switched Megabit Data Service, 21  
   Synchronous Optical Network, 19  
   T-carrier system, 22

- Token Ring, 15
  - X.25 specification, 17
  - IESG. *See* Internet Engineering Steering Group
  - IETF. *See* Internet Engineering Task Force
  - IGMP. *See* Internet Group Management Protocol
  - IGP. *See* Interior Gateway Protocol
  - IIS. *See* Internet Information Services
  - IKE. *See* Internet Key Exchange
  - information flow, in business model, 70–71
  - infrastructure master, 111
  - Integrated Services Digital Network (ISDN), 26
    - in general, 18–19
    - full-duplex, 18
  - Inter-Switch Link (ISL), 403
  - Interior Gateway Protocol (IGP)
    - autonomous system, 35
    - link-state, 35
  - International Organization for Standardization (ISO), 3
  - International Telecommunications Union (ITU), 17
  - Internet, 2
    - access restriction, 355–356
    - connectivity, 26
    - dedicated line, 26
    - dial-up, 26
  - Internet Architecture Board (IAB), 29
  - Internet Assigned Numbers Authority (IANA), 29, 159
  - Internet Connection Sharing (ICS), Proxy Server and, 346
  - Internet Control Message Protocol (ICMP)
    - discussed, 36
    - router discovery, 152–153
  - RRAS, 282
  - Internet Engineering Steering Group (IESG), 29
  - Internet Engineering Task Force (IETF), 29
  - Internet Group Management Protocol (IGMP), 35
    - discussed, 37
    - RRAS and, 290–292
  - Internet Information Services (IIS), 238
  - Internet Key Exchange (IKE), 149
  - Internet Packet Exchange (IPX), 429
  - Internet Packet Exchange/Sequenced Packet Exchange (IPX/SPX), 200
  - Internet Printing Protocol (IPP), discussed, 32
  - Internet Protocol (IP), 33
    - Network layer protocols and, 34
    - v6 (IPv6), 34, 161
  - Internet Security and Acceleration (ISA), 338
  - Internet Security and Acceleration (ISA) Server, discussed, 359–361
  - Internet Security Association Key Management Protocol (ISAKMP), 149
  - Internet Security Systems, 114
  - Internet Society (ISOC), 29
  - intranet
    - discussed, 23
    - service provision, 404–405, 407
  - intranet design
    - e-mail, 406
    - enterprise applications, 405
    - file access, 406
  - intrusion detection, 360
  - Intrusion.com, 114
  - IP address, 125. *See also* address; Dynamic Host Configuration Protocol
    - Automatic Private IP Addressing, 170–171
    - spoofing, 333
  - IP multicast, 386
  - IP packet filtering. *See also* filtering
    - discussed, 332–333
    - in general, 148, 293–294
    - with Proxy Server 2.0, 357
  - IP Security (IPSec), 148. *See also* security; Transmission Control Protocol/Internet Protocol components
    - Authentication Header, 149
    - Encapsulating Security Payload, 149
    - Internet Key Exchange, 149
    - Internet Security Association Key Management Protocol, 149
    - IPSec Driver, 49
    - IPSec Policy Agent, 149
    - Oakley, 149
    - security association, 149
    - transforms, 149
    - Proxy Server and, 344
    - RRAS and, 295–296
    - transport mode, 149
    - tunnel mode, 149
  - IP. *See* Internet Protocol
  - IPP. *See* Internet Printing Protocol
  - IPSec. *See* IP Security
  - IPSec Driver, 49
  - IPSec Policy Agent, 149
  - IPv6. *See* Internet Protocol
-

IPX. *See* Internet Packet Exchange (IPX)

IPX/SPX. *See* Internet Packet Exchange/Sequenced Packet Exchange

Iron Triangle, 61

ISA. *See* Internet Security and Acceleration

ISAKMP. *See* Internet Security Association Key Management Protocol

ISDN. *See* Integrated Services Digital Network

ISL. *See* Inter-Switch Link

ISO. *See* International Organization for Standardization

ISOC. *See* Internet Society

isochronous synchronization, 21

ITU. *See* International Telecommunications Union

## J

Java Script, 427

jitter, 103-105, 154

## K

Kerberos authentication, 124. *See also* authentication

KeyAudit 5.0, 122

Korn shell, 222

## L

L2TP. *See* Layer 2 Tunneling Protocol

LAN. *See* local area network

LAPD. *See* Link Access Procedure D

LAT. *See* Local Address Table

latency

technical analysis, 103-105

user-perceived, 105

Layer 2 Tunneling Protocol (L2TP), 282

LDAP. *See* Lightweight Directory Access Protocol

Ldp. *See* Active Directory Administration Tool

lease, 169

legacy systems, DHCP and, 171

legal considerations, in company strategy, 78-79

Lightweight Directory Access Protocol (LDAP), 442-443

link

Dfs, 245

virtual, 290

Link Access Procedure D (LAPD), 18

LLC. *See* Logical Link Control

load balancing. *See also* network design; Network Load Balancing

discussed, 409-411

LoadRunner, 106, 108, 114

Local Address Table (LAT), 352-353

local area network (LAN), 2, 23

Local Policy Module, 155

log file, IAS log file, 312

logging

circular, 428

sequential, 428

Logical Link Control (LLC), Data Link layer, 13

login script, NetWare, 205

## M

MAC address. *See* Media Access Control

Macintosh

client integration, 225

connectivity, Services for Macintosh, 223

protocols and services, 223-225

MAN. *See* metropolitan area network

management. *See also* administration; network management

in-band management, 399

out-of-band management, 398

management models. *See also* administration

network design

considerations, 74

management structure. *See also* administration; business model

administration types, 81

change-management process, 83

decision-making process, 82

funding models, 81

in general, 80

outsourcing, 81-82

questions to ask, 83-84

MAU. *See* Multistation Access Unit

media, Ethernet, 14

Media Access Control (MAC), OSI model, 13

Media Access Control (MAC) address, 7

mesh topology. *See also* standards discussed, 11

metadata, 438

metropolitan area network (MAN), 2

Microsoft 70-221 certification exam, 287, 444

Microsoft, addresses, 238

Microsoft Challenge Handshake Authentication Protocol (MS-CHAP), 296

Microsoft Cluster Service (MSCS), 156

Microsoft Directory Synchronization Services (MSDSS), 207 discussed, 208-211



Microsoft Internet Explorer, 354  
 Microsoft Management Console (MMC), 214  
 Microsoft Point-to-Point Encryption (MPPE), 283, 296  
 Microsoft Proxy Server. *See* Proxy Server 2.0  
 Microsoft SNA Server, 213  
 Microsoft TechNet site, 438  
 Microsoft User Authentication Module (MS-UAM), 223  
 MMC. *See* Microsoft Management Console  
 mobile worker, 24  
 monitoring. *See also* administration  
   Active Directory Administration Tool (Ldp), 438-439  
   Active Directory Services Interfaces Editor, 439  
   counter logs, 428  
   Event Viewer log, 428-429  
   in general, 426, 440-442  
   Nbtstat, 437-438  
   Netdiag, 431-433  
   Netstat, 436-437  
   Network Monitor, 430-431  
   Nslookup, 435-436  
   Pathping, 433-434  
   Performance Console, 427  
   Ping, 433  
   Replication Monitor, 440  
   scripts, 427  
   SNMP events, 429-430  
   trace logs, 428  
   Tracert, 433  
 MOSPF. *See* Multicast Extensions to OSPF  
 MPPE. *See* Microsoft Point-to-Point Encryption

MS-CHAP. *See* Microsoft Challenge Handshake Authentication Protocol  
 MS-UAM. *See* Microsoft User Authentication Module  
 MSCS. *See* Microsoft Cluster Service  
 MSDSS. *See* Microsoft Directory Synchronization Services  
 MSIDLPM.DLL, 155  
 Multicast Extensions to OSPF (MOSPF), 291  
 multiplexing, time-division multiple access, 19  
 Multistation Access Unit (MAU), 8

**N**

name resolution. *See* Domain Name Service; Windows Internet Name Service  
 NAT. *See* Network Address Translation Protocol  
 NBNS. *See* NetBIOS Name Server  
 Nbtstat, 437-438  
 NDS. *See* Novell Directory Services  
 NetBIOS, disabling, 153-154, 166  
 NetBIOS Name Server (NBNS), 179  
 Netdiag, 431-433  
 NetMeeting, 33  
 Netstat, 436-437  
 NetWare systems. *See also* connectivity; protocols  
   bindery server, 201  
   Client Services for NetWare, 201, 206-207  
   Directory Services Manager for NetWare, 212  
   File and Print Services for NetWare, 211-212

Gateway Services for NetWare, 202-206  
 in general, 200  
 integration designs, 213  
 login script, 205  
 Microsoft Directory Synchronization Services, 208-211  
 Service Advertising Protocol, 212  
 services, 202  
 Services for NetWare v.5, 207-208

network  
   backbone, 22  
   switched network, 12-13

network address  
   internal network addressing, 351-353  
   Local Address Table, 352-353  
   public vs. private, 352

Network Address Translation (NAT), 35  
   design considerations, 411  
   discussed, 333-335  
   Proxy Server and, 345-346  
   RRAS and, 282

Network Associates Sniffer, 102

network design. *See also* business model; firewall; network infrastructure; standards; technical requirements  
   analysis  
     availability, 22, 56, 105  
     cost, 57  
     functionality, 55, 106  
     in general, 55, 114-115  
     performance, 57-58  
     scalability, 56, 105, 106  
     security, 56-57  
   B2B design  
   e-mail considerations, 385



- file access considerations, 386
  - in general, 378–380, 384
  - integrity, nonrepudiation, reliability, 382–384
  - security, 380–382
  - special media considerations, 386–387
  - business requirements analysis, 54
  - data analysis, 63–64
  - design decisions, 64
  - in general, 378
  - infrastructure
    - firewalls, 400
  - in general, 387, 397–399
  - multiple ISPs, 391
  - Network Load Balancing, 394–397
  - redundancy, 389–391
  - redundant firewall, 392–394
  - redundant hub, 399
  - redundant switch, 399, 401–403
  - single point-of-failure, 388
  - life cycle
    - data gathering, 59–63
  - in general, 58
  - load balancing, 409–411
  - Network Address Translation, 411
  - network implementation and, 65–66
  - network management and, 66
  - network testing, 64–65
  - organizational structures and acquisitions, 76–77
  - company organization, 75
  - customer, vendor, partner relationships, 75–76
  - in general, 74
  - management models and, 74
  - TCP/IP, 148
  - Network File System (NFS). *See also* connectivity
    - Client for NFS, 219
    - Gateway for NFS, 218
    - in general, 216–218
    - Network Virtual Terminal, 221
    - password synchronization, 221
    - Server for NFS, 219
    - Server for NIS, 220
    - Server for PCNFS, 220
    - Telnet Client, 221–222
    - Telnet Server, 221–222
    - UNIX
      - integration, 222–223
      - Korn shell, 222
      - utilities, 222
  - Network Information Service (NIS), Server for NIS, 220
  - network infrastructure analysis. *See also* network design
    - application detection, 120–122
    - capacity assessment, 123
    - in general, 115–116
    - load created by application, 122–123
    - network services analysis, 123–124
    - protocols, 117–119
    - TCP/IP analysis, 124–130
  - Network layer, OSI model, 6
  - Network layer protocols
    - in general, 34
    - “abstracts,” 34
    - Internet Protocol, 34
    - Internet Protocol v6 (IPv6), 34, 161
  - Network Load Balancing (NLB), 156, 386. *See also* load balancing
    - design considerations, 394–397, 397–399
  - network management. *See also* management
    - analysis, 130
    - network design and, 66
    - systems, 429
  - network media, 2
  - Network Monitor, discussed, 430–431
  - network monitoring. *See* monitoring
  - Network News Transfer Protocol (NNTP), discussed, 32
  - network requirements. *See also* technical requirements
    - user needs, 130–131
  - network services, 55
    - analysis, 123–124
    - Certificate Services, 445
    - Dfs, 449
    - DHCP, 446–447
    - Distributed Name System, 445–446
    - domain controllers, 444
    - Global Catalog, 443–444
    - Lightweight Directory Access Protocol, 442–443
    - Proxy Server, 448–449
    - RRAS, 448
    - WINS, 447–448
  - Network Virtual Terminal (NVT), 221
  - networking, basics, 2
  - newsgroups, 23
  - NFS. *See* Network File System
  - NIS. *See* Network Information Service
  - NLB. *See* Network Load Balancing Service
  - NNTP. *See* Network News Transfer Protocol
  - node, types, 118
-

nonrepudiation, 382  
Novell Client for Windows  
NT/2000, 204  
Novell Directory Services  
(NDS), 201  
Nslookup, 435-436  
NVT. *See* Network Virtual  
Terminal  
NWLink, discussed, 200

## O

Oakley, 149  
Open Shortest Path First  
(OSPF), 6, 165  
discussed, 35-36  
stub area, 289  
RRAS and, 289-290  
Open Systems Interconnect  
(OSI) reference model, 2  
Application layer, 4  
broadcasts, 6-7  
Data Link layer, 7  
Logical Link Control, 13  
Media Access Control, 13  
discussed, 3-8  
Network layer, 6  
packets, 6  
Physical layer, 8  
Presentation layer, 5  
protocol stack, 6  
Session layer, 5  
Transport layer, 5  
OSI. *See* Open Systems  
Interconnect reference model  
OSPF. *See* Open Shortest Path First  
outsourcing, management consid-  
erations, 81-82

## P

packet. *See also* packet filtering  
Application layer packet filter-  
ing, 148  
asynchronous packet, 16  
generic packet classifier, 155  
IP packet filtering, 148, 293-294,  
332-333  
OSI model, 6  
QoS Packet Scheduler, 155  
stateful packet filtering, 333  
stateless packet filtering, 332  
synchronous packet, 16  
packet filtering. *See also* filtering  
IP packet filtering, 148, 293-294,  
332-333  
security, 343  
Packet Internet Groper (PING),  
36, 433  
PAP. *See* Password Authentication  
Protocol  
Partition Knowledge Table  
(PKT), 242, 244  
maintaining, 247  
understanding, 246  
partner, relationships with, 75-76  
Password Authentication Protocol  
(PAP), 309  
password synchronization. *See  
also* security  
Network File System, 221  
PDC emulator, 111  
performance, 33  
Dfs, 259  
DHCP, 174  
DNS, 177-178  
network design and, 57-58  
Proxy Server, 358  
router, 313  
RRAS, 302-303  
Performance Console, 427  
performance logs, ActiveX,  
427-428  
permanent virtual circuit  
(PVC), 18  
PIM-SM. *See* Protocol-  
Independent Multicast  
Sparse Mode  
PING. *See* Packet Internet  
Groper  
PKT. *See* Partition  
Knowledge Table  
point-to-point connection,  
SONET, 19  
Point-to-Point Protocol  
(PPP), 282  
Point-to-Point Tunneling  
Protocol (PPTP), 282, 283  
POP. *See* Post Office Protocol  
port, 148  
port mirroring, 394  
port spanning, 394  
Post Office Protocol (POP), 30  
PPP. *See* Point-to-Point Protocol  
PPTP. *See* Point-to-Point  
Tunneling Protocol  
Presentation layer, OSI model, 5  
product life cycle, company  
processes and, 72-73  
protocol, 3. *See also* NetWare;  
*specific protocols*  
analyzing, 117-119  
in general, 200-202  
protocol stack, OSI model, 6  
Protocol-Independent Multicast  
Sparse Mode (PIM-SM), 291  
proxy, reverse proxy, 407-409  
proxy array, 341  
proxy chain, 341  
proxy server, 335. *See also* Proxy  
Server 2.0; proxy services  
placement, 349-350  
screened subnet and, 350-351

Proxy Server 2.0  
 client-side configuration, 353–355  
 domain filters, 357–358  
 Internet Explorer, 354  
 IP packet filtering, 357  
 no client, 355  
 Proxy Server Client, 354  
 Socks, 355  
 design  
 availability enhancement, 358  
 restricting user access to  
 Internet, 355–356  
 screened subnet, 356–357  
 DNS and, 347–348  
 features, 338–339  
 in general, 338, 344, 448–449  
 ICS and, 346  
 installation, 349  
 IPSec and, 344  
 NAT and, 345–346  
 packet filtering, 343  
 RRAS and, 344–345  
 Socks proxy, 343  
 Web caching, 339–342  
 Web proxy, 342  
 WINS and, 348  
 WinSock Proxy, 342  
 proxy services  
 in general, 335  
 interface characteristics, 353  
 internal network addressing, 351–353  
 reverse proxy, 335  
 Socks proxy, 336, 343  
 PSCHED.SYS., 155  
 publisher, 209  
 PVC. *See* permanent virtual circuit

## Q

QoS Packet Scheduler, 155  
 QoS. *See* Quality of Service  
 Quality of Service (QoS)  
 discussed, 154–156  
 generic QoS API, 155  
 standards, 7  
 query  
 explicit, 442  
 transparent, 442

## R

RADIUS. *See* Remote Authentication Dial-in User Service  
 RARP. *See* Reverse Address Resolution Protocol  
 Real-Time Transport Protocol (RTP), discussed, 33  
 redundancy  
 design considerations, 389–391  
 in general, 11  
 Hot-Standby Router Protocol, 391  
 hub, 399  
 routing, 303  
 switch, 399  
 TCP/IP, 156–157  
 Virtual Router Redundancy Protocol, 391  
 relay agent, DHCP, 172  
 remote access model  
 connectivity, 24–25  
 direct dial, 25  
 virtual private network, 25  
 server, 112  
 Remote Authentication Dial-in User Service (RADIUS), 293  
 in general, 311  
 authentication server, 311  
 IAS log file, 312  
 RADIUS server, 312  
 realm, 311  
 remote access client, 312  
 shared secret, 312  
 using with RRAS, 311–313  
 Remote Installation Service (RIS), 30, 36, 38  
 Remote Monitoring (RMON), 120, 121, 393  
 remote office, 18  
 connectivity, 25  
 Remote Procedure Call (RPC), 216  
 replication. *See also* replication partners  
 DNS zone replication, 176–177  
 File Replication Service, 251  
 WINS, 182  
 Replication Monitor (Replmon), 440  
 replication partners  
 pull partner, 180  
 push partner, 180  
 Replmon. *See* Replication Monitor  
 Request for Comment (RFC), 29  
 resolvers, 32  
 resource  
 centralized/decentralized, 451  
 placement and management, 450  
 Resource Reservations Protocol (RSVP), 154, 155  
 Resource Reservations Protocol Service Provider (RSVP SP), 155  
 response strategies, reactive/proactive mode, 449–450  
 Reverse Address Resolution Protocol (RARP), discussed, 38  
 RFC. *See* Request for Comment  
 RID master, 111

- ring topology. *See also* standards discussed, 10
  - RIP. *See* Routing Information Protocol
  - RIS. *See* Remote Installation Service
  - risk tolerance, company strategy for, 79
  - RMON. *See* Remote Monitoring
  - Robocopy, 250
  - roles
    - network roles, 109–112
    - server, 62
    - single master operation roles, 110
  - rollout, identifying, 129
  - router
    - Area Border Router, 289
    - authentication, 298–299
    - dedicated, 302
    - default gateway, 164
    - default router metric base, 167
    - demand-dial interface, 286
    - ICMP router discovery, 152–153
    - IP router, 6
    - “longest match” concept, 164
    - placement, 284–285
    - redundant, 303
  - routing
    - IP routing, 162–165
    - VPN protocols, 282–283
  - Routing Information Protocol (RIP), 6, 35, 164
    - Classless Inter-Domain Routing, 288
    - discussed, 36
    - RRAS and, 288–289
  - Routing protocols
    - Address Resolution Protocol, 37
    - BootP, 36
    - in general, 35
    - Exterior Gateway Protocol, 35
    - Interior Gateway Protocol, 35
    - Generic Routing Encapsulation, 283
    - Internet Control Message Protocol, 36
    - Internet Group Management Protocol, 37
    - Open Shortest Path First, 35–36
    - Reverse Address Resolution Protocol, 38
    - Routing Information Protocol, 36
  - Routing and Remote Access (RRAS), 281
    - design
      - availability and performance improvements, 302–303
      - business and technical needs, 284
      - enhancement, 313
      - in general, 283, 293
      - integrating routers into network, 285–287
    - IP packet filtering, 293–294
    - IPSec, 295–296
    - router authentication, 298–299
    - router configuration, 287
    - router placement, 284–285
    - screened subnet, 299–300
    - static routes, 300–302
    - VPN tunnels, 296–298
    - in general, 282, 448
    - demand-dial connection, 282
    - Internet Control Message Protocol, 282
    - Network Address Translation, 282
    - integration, with other services, 292–293
    - protocols selection
      - in general, 287
    - IGMP, 290–292
    - OSPF, 289–290
    - RIP, 288–289
    - Proxy Server and, 344–345
    - remote access
      - design enhancement, 313
      - in general, 303
      - policies, 306–309
      - VPN strategy, 303–304
      - VPN use, 305–306
    - security
      - authentication and encryption protocols, 309–310
      - in general, 309
      - policies, 310–311
    - RADIUS use, 311–313
    - VPN protocols, 282–283
  - routing table, 162
  - RPC. *See* Remote Procedure Call
  - RRAS. *See* Routing and Remote Access
  - RSVP. *See* Resource Reservations Protocol
  - RSVP SP. *See* Resource Reservations Protocol Service Provider
  - RTP. *See* Real-Time Transport Protocol
- ## S
- SAFEsuite Decisions, 114
  - SAP Agent, 212
  - SAP. *See* Service Advertising Protocol
  - Sassafras Software, 122
  - scalability, network design and, 56, 105, 106
  - schema master, 111
  - scope
    - DHCP, 166
    - distributed, 172
-

- scripts, discussed, 427
  - searching, WINS name resolution, 181
  - Secure Sockets Layer (SSL), 380
  - security. *See also* encryption; firewall; IP Security; password synchronization
    - B2B, 380-382
    - Dfs, 254
    - DHCP, 173-174
    - digital certificate, 380
    - digital signature, 380
    - DNS, 176-177
    - File Transfer Protocol, 30
    - intrusion detection, 360
    - Kerberos authentication, 124
    - load bucket, 62
    - network design and, 56-57
    - security token, 380
    - server, 112
    - TCP/IP, 148-151
    - Application layer packet filtering, 148
    - IP Security, 148
    - technical analysis, 106, 113-114
    - Telnet, 222
    - WINS, 182
  - security token, 380
  - SecurityAnalyst, 114
  - segment, 33
  - Sequence Packet Exchange (SPX), 5
  - Serial Line Internet Protocol (SLIP), 283
  - server
    - authentication server, 311
    - backbone, 16
    - disaster recovery strategies, 133-134
    - global catalog server, 110
    - roles, 62
    - Server Message Block (SMB), 32, 218, 242
    - Server for NFS, 219
    - Server for PCNFS, 220
    - Service Advertising Protocol (SAP), discussed, 212
    - services. *See* network services
    - Services for NetWare (SFN) v.5, discussed, 207-208
    - Session layer, OSI model, 5
    - SFN. *See* Services for NetWare
    - SIIA. *See* Software and Information Industry Association
    - Simple Mail Transfer Protocol (SMTP), discussed, 30
    - Simple Network Management Protocol (SNMP)
      - discussed, 31
      - events, 429-430
    - single master operation roles, 110
    - SLIP. *See* Serial Line Internet Protocol
    - SMB. *See* Server Message Block
    - SMDS. *See* Switched Megabit Data Service
    - SMS. *See* Systems Management Server
    - SMTP. *See* Simple Mail Transfer Protocol
    - SNA. *See* Systems Network Architecture
    - SNMP. *See* Simple Network Management Protocol
    - Socks proxy, 336, 343, 355. *See also* proxy server
    - Software and Information Industry Association (SIIA), 121
    - SONET. *See* Synchronous Optical Network
    - spam, 385. *See also* e-mail
    - Spanning Tree Protocol (STP), 403
  - spare
    - cold, 383
    - hot, 383
  - spoofing, 333
  - SPX. *See* Sequence Packet Exchange
  - SSL. *See* Secure Sockets Layer
  - stack
    - OSI protocol stack, 6
    - TCP/IP, 4
  - standards. *See also* IEEE 802 specifications review; technical requirements; technical requirements analysis
    - bus topology, 8
    - hybrid topology, 11-12
    - IEEE 802 specifications review, in general, 13-14
    - mesh topology, 11
    - OSI model, 8
    - redundancy concerns, 11
    - ring topology, 10
    - star topology, 9
    - switched network, 12-13
  - star topology. *See also* standards discussed, 9
  - state, 409
  - stateful inspection, 333
  - stateful packet filtering, 333
  - stateless packet filtering, 332
  - steganography, 381
  - STP. *See* Spanning Tree Protocol
  - stub area, OSPF, 289
  - subnet
    - screened subnet, 299-300, 338
    - proxy server and, 350-351, 356-357
    - reverse proxy and, 407-409
    - using proxy within, 351
  - subnet mask, variable-length subnet mask, 158, 160
-

subnetting, 159  
subscriber, 209  
supernetting, 159  
SVC. *See* switched virtual circuit  
switch  
    failure, 404  
    OSI model, 8  
    redundant, 399, 401–403  
    switching hub, 12  
Switched Megabit Data Service (SMDS), 21  
switched network, discussed, 12–13  
switched virtual circuit (SVC), 18  
Synchronous Optical Network (SONET), 26  
    discussed, 19  
    point-to-point connection, 19  
    time-division multiple access, 19  
system access patterns, technical requirements, 108–109  
System Monitor, 427  
Systems Management Server (SMS), 80, 121  
Systems Network Architecture (SNA). *See also* connectivity  
    deployment models, 214–215  
    branch deployment model, 215  
    centralized deployment model, 215  
    distributed deployment model, 215  
    in general, 213, 379  
    integration design, 215–216  
    Microsoft SNA Server, 213  
    protocols and services, 213–214

## T

T-carrier system, discussed, 22  
TCO. *See* total cost of ownership

TCP/IP. *See* Transmission Control Protocol/Internet Protocol  
TDMA. *See* time-division multiple access  
technical requirements. *See also* connectivity; disaster recovery; network requirements; standards  
    bandwidth issues, 101–103  
    company size analysis, 98–100  
    connectivity analysis, 100–101  
    cost considerations, 106  
    data analysis, 108–109  
    in general, 98  
    domain-naming master, 111  
    floating single master operations, 110  
    global catalog server, 111  
    infrastructure master, 111  
    PDC emulator, 111  
    RID master, 111  
    schema master, 111  
    single master operation roles, 110  
    latency issues, 103–105  
    network roles and responsibilities, 109–112  
    network services, 112–113  
    security analysis, 106, 113–114  
    service requirements, 105  
    system access patterns, 108–109  
Telnet, 30, 343  
Telnet Client, 221–222  
Telnet Server, 221–222  
testing  
    disaster recovery procedures, 132  
    network design and, 64–65  
TFTP. *See* Trivial File Transfer Protocol  
time-division multiple access (TDMA), 19

Token Ring network, 10  
    discussed, 15  
tombstone, 180  
    manual process, 180–181  
total cost of ownership (TCO), 79–80  
trace logs, 428  
Tracert, 433  
traffic, aggregation, 22  
TRAFFIC.DLL, 155  
transforms, 149  
Transmission Control Protocol (TCP)  
    discussed, 33  
    performance, 33  
    segments, 33  
Transmission Control Protocol/Internet Protocol (TCP/IP)  
    addressing  
        cross-purposing server, 165  
        in general, 158  
        IP routing, 162–165  
        IPv6, 161  
        obtaining public addresses, 158–159  
        private addresses, 159  
        public addresses, 162  
        strategies, 159–161  
    Application layer protocols and services  
    Common Internet File System, 32  
    Domain Name Service, 32  
    Dynamic Host Configuration Protocol, 31  
    File Transfer Protocol, 30  
    in general, 29  
    Hypertext Transfer Protocol, 31  
    Internet Printing Protocol, 32

- Network News Transfer Protocol, 32
  - Simple Mail Transfer Protocol, 30
  - Simple Network Management Protocol, 31
  - Telnet, 30
  - Trivial File Transfer Protocol, 30
  - Windows Internet Name Service, 32
  - defined, 28–29, 200
  - DoD model, 28
  - filtering, 293–294
  - infrastructure analysis
  - in general, 124–125
  - hardware and performance analysis, 128
  - naming strategy, 127–128
  - network and systems management, 130
  - strategy and address assignment, 125–126
  - technical support analysis, 129
  - upgrades and rollouts identification, 129
  - network design, 148
  - Network layer protocols
  - in general, 34
  - Internet Protocol, 34
  - Internet Protocol v6 (IPv6), 34
  - Routing protocols
  - Address Resolution Protocol, 37
  - BootP, 36
  - in general, 35
  - Internet Control Message Protocol, 36
  - Internet Group Management Protocol, 37
  - Open Shortest Path First, 35–36
  - Reverse Address Resolution Protocol, 38
  - Routing Information Protocol, 36
  - security features, 148–151
  - stack, 4
  - traffic types
  - broadcast, 29
  - multicast, 29
  - unicast, 29
  - Transport layer protocols
  - in general, 32
  - Real-Time Transport Protocol, 33
  - Transmission Control Protocol, 33
  - User Datagram Protocol, 33
  - Windows 2000 enhancements
  - disabling NetBIOS over TCP/IP, 153–154
  - generic packet classifier, 155
  - ICMP router discovery, 152–153
  - Local Policy Module, 155
  - QoS Packet Scheduler, 155
  - quality of service, 154–156
  - redundancy features, 156–157
  - Resource Reservations Protocol, 155
  - Resource Reservations Protocol Service Provider, 155
  - selective acknowledgment, 152
  - TCP windows, 152
  - Traffic Control, 155
  - Transport layer, OSI model, 5
  - Transport layer protocols
  - in general, 32
  - Real-Time Transport Protocol, 33
  - Transmission Control Protocol, 33
  - User Datagram Protocol, 33
  - Triple DES, 381
  - Trivial File Transfer Protocol (TFTP), discussed, 30
  - Trojan horse virus, 335
  - troubleshooting. *See also* disaster recovery
  - reactive/proactive mode, 449–450
  - trust, network design considerations, 60–61
  - U**
  - UDP. *See* User Datagram Protocol
  - UNC. *See* Universal Naming Convention
  - Universal Naming Convention (UNC), 242
  - Universal Resource Locator (URL), 32, 338
  - UNIX system
  - integration design, 222–223
  - Network File System, 216–218
  - utilities, 222
  - Korn shell, 222
  - update, secure dynamic, 176
  - upgrade, identifying, 129
  - URL. *See* Universal Resource Locator
  - user. *See also* client
  - access restrictions, 355–356
  - needs, 130–131
  - network access requirements, 130
  - usage patterns, 131
  - User Datagram Protocol (UDP), 30, 32, 343
  - discussed, 33
  - V**
  - variable-length subnet mask (VLSM), 158, 160
  - vendor, relationships with, 75–76
-



virtual private network (VPN)  
  connectivity model, 25  
  for dial-up access, 305–306  
  firewalls, 337  
  protocols, 282–283  
  for remote access, 303–304  
  VPN tunnels, 296–298, 337  
Virtual Router Redundancy  
  Protocol (VRRP), 391  
virus, Trojan horse virus, 335  
Visual Basic, 427  
VLAN Trunking, 403  
VLSM. *See* variable-length sub-  
  net mask  
VPN. *See* virtual private network  
VRRP. *See* Virtual Router  
  Redundancy Protocol

## W

WAN. *See* wide area network  
Wandel & Golterman  
  Domino, 102  
Web. *See* World Wide Web  
Web browser, 23  
Web proxy, 342. *See also* Proxy  
  Server 2.0

Web server, dual-home, 388  
Web site, 23  
wide area network (WAN), 2  
  persistent, 302  
  redundant, 303  
window, TCP window, 152  
*Windows 2000 Server TCP/IP  
  Core Networking Guide*, 433  
Windows Internet Name Service  
  (WINS)  
  discussed, 32, 447–448  
  integration with DHCP and  
    DNS, 181–182  
  name resolution  
  burst-mode name registra-  
    tion, 180  
  filtering and record search-  
    ing, 181  
  functionality and features,  
    179–181  
  in general, 178  
  manual tombstoning, 180–181  
  name release, 180  
  persistent connections, 180  
  registration renewal, 179–180

  replication partners, 180  
  name resolution design,  
    178–179  
  Proxy Server and, 348  
Windows Scripting Host  
  (WSH), 427  
WINS. *See* Windows Internet  
  Name Service  
WinSock Proxy, 342  
World Wide Web (WWW), 31  
WRQ Express Inventory 4.5, 122  
WSH. *See* Windows Scripting Host  
WWW. *See* World Wide Web

## X

X.25 specification  
  discussed, 17–18  
  remote office, 18

## Z

zone, DNS, 175

---